










Contains min. 30% recycled material



JANUARY 2023

# OK-pack®

Closed cell non crosslinked PE Foam extruded profiles for industrial packaging applications.

## OK-pack® U

Reference	A (mm)	B (mm)	C (mm)	L (cm)	d (Kg/m3)	m/box	Type
U10-30	10±1	30±2	10±1	rollo	28±5	550	1
U15	15±2	28±2	10±1	200±4	28±5	560	2
U20	20±1,5	30±2	8±1	200±4	28±5	520	3
U20/70	20±2	70±2	21±1	200±4	28±5	380	3
U20/80	20±2	80±3	30±2	200±4	28±5	100	4
U25	24±3	37±2	10±1	200±4	28±5	380	3
U30	30±2	44±3	11±1	200±4	28±5	250	3
U30/90	29±2	95±6	14±1	200±4	28±5	100	5
U35	35±3	40±3	10±1	200±4	28±5	240	3
U35NG	35±3	48±3	12±2	200±4	28±5	220	3
U40*	40±3	40±3	10±1	200±4	28±5	210	3
U45	45±2,5	45±3	12±1	200±4	28±5	180	3
U45/75	45±2	75±3	15±1	200±4	28±5	140*	6
U45AD	42±2,5	43±3	14±2	200±4	50±5	170	2
U60	60±3	60±3	13±1	200±4	28±5	120	3
U60AD	58±3	55±3	16±1	200±4	60±5	120	2
U70	70±3	63±3	15±1	200±4	28±5	90	3
U72-120	79±5	120±5	17±2	200±4	28±5	56	6
U80	80±2	72±3	18±2	200±4	28±5	80	3
UM	20±2	48±2	60±2	200±4	40±5	140	7




2045 x 410 x 618 mm

P.I. La Serra II. 25320 Anglesola—Lleida  
Tlf: +34-973308518.  
[www.okcompany.com](http://www.okcompany.com) / [infotec@okcompany.com](mailto:infotec@okcompany.com)

**OK**  
OVERSEAS KONSTELLATION  
COMPANY S.A.

# OK-pack® U



Reference	A (mm)	B (mm)	C (mm)	L (cm)	d (Kg/m3)	m/box	Tiye
U90	90±3	80±5	18±2	200±4	28±5	72	8
U100	100±3	70±5	18±2	200±4	28±5	56	8
U120	120±4	80±5	20±2	200±4	28±5	44	8



2045 x 410 x 618 mm





Contains min. 30% recycled material

## Profile corners

Referencia	L (mm)	Piezas/bolsa
U15	100	900
U25	100	600
u30	100	500
U35	100	450
U45	100	300
U60	100	500
U70	100	400
U80	100	350
U90	100	280
U100	100	200
U120	100	200
U72 / 120	100	300

## Cut-corners




Referencia	C(mm)	A (mm)	Piezas/caja
90/10	90	10	3350
90/15	90	15	2200
90/20	90	20	1700
90/25	90	25	1300
100/10	100	10	2964




P.I. La Serra II. 25320 Anglesola—Lleida  
 Tlf: +34-973308518.  
[www.okcompany.com](http://www.okcompany.com) / [infotec@okcompany.com](mailto:infotec@okcompany.com)

**OK**  
 OVERSEAS KONSTELLATION  
 COMPANY S. A.

## OK-pack® CM



Reference	A (mm)	B (mm)	C (mm)	L (cm)	d (Kg/m3)	m/roll	Type
CM**	40±2	30±2	13±1	rollo	28±5	500	1
OV-U (gris)	30±2	20±2	10±1	rollo	30±5	700	1
CMR	32±2	26±2	12±1	rollo	28±5	650	2
CMR HD-XT	32±2	26±2	12±1	rollo	45±5	460	3

 1200 x 410 x 500 mm  
4 rolls/pallet

\*\* Available in 2m lengths (540m/box).



2045 x 410 x 618 mm

## OK-pack® L

Reference	A (mm)	B (mm)	L (cm)	d (Kg/m3)	m/box
L50	50±4	7±1	200±4	28±5	460
L50plus	50±4	10±1	200±4	28±5	350
L75	75±7	11±1	200±4	28±5	210
L75plus	75±4	15±1	200±4	28±5	160
L85	85±5	18±1	200±4	28±5	120
L50 adh.	50±4	7±1	200±4	28±5	460
L75 adh.	75±7	11±1	200±4	28±5	210



2045 x 410 x 618 mm



Contains min. 30% recycled material





P.I. La Serra II. 25320 Anglesola—Lleida  
Tlf: +34-973308518.

[www.okcompany.com](http://www.okcompany.com) / [infotec@okcompany.com](mailto:infotec@okcompany.com)

  
OVERSEAS KONSTELLATION  
COMPANY S.A.



Contains min. 30% recycled material



## OK-pack F

Reference	A (mm)	B (mm)	L (cm)	d (Kg/m3)	m/box
F	80±2	12±1	200±4	28±5	80



2045 x 410 x 618 mm

## OK-pack S

Reference	A (mm)	B (mm)	Angle°	L (cm)	d (Kg/m3)	m/box
S25	54±2	25±2	90°	200±4	30±5	200
S30	62±2	30±2	90°	200±4	30±5	140
S40	80±2	40±2	90°	200±4	30±5	90
S50	95±3	50±3	90°	200±4	30±5	64



2045 x 410 x 618 mm

## OK-pack Pad

Reference	A (mm)	B (mm)	L (cm)	d (Kg/m3)	m/box	Type
25x65	25±1	65±2	200±4	28±5	260	1
30x25	30±1	25±1	Rollo	28±5	550	1
24x25	24±1	25±1	Rollo	28±5	550	1
100X50	48±2	100±3	200±4	28±5	92	1
Roundpad	41±1	63±1	200±4	28±5	180	2
38X38*	38±1	38±1	120±3	45±3	168	1
50X10*	10±1	50±2	200±4	28±5	670	1
50x20*	20±1	50±2	170±3	28±5	357	1
38x91*	38±1	91±2	120±3	45±3	72	1



OVERSEAS KONSTELLATION  
COMPANY S. A.

P.I. La Serra II. 25320 Anglesola—Lleida  
Tlf: +34-973308518.  
[www.okcompany.com](http://www.okcompany.com) / [infotec@okcompany.com](mailto:infotec@okcompany.com)

# OK-pack®

## Non standard profiles



(under request)

### OK-pack® R

Reference	A (mm)	B (mm)	C (mm)	L (cm)	d (Kg/m3)	m/box
R	53±2	37±2	11±1	165±4	28±5	165

### OK-pack® T

Reference	A (mm)	B (mm)	L (cm)	d (Kg/m3)	m/roll
T 20/20	20±2	20±2	Rollo	28±5	200
T 30/20	30±2	20±2	Rollo	28±5	100



P.I. La Serra II. 25320 Anglesola—Lleida  
Tlf: +34-973308518.  
[www.okcompany.com](http://www.okcompany.com) / [infotec@okcompany.com](mailto:infotec@okcompany.com)

  
OVERSEAS KONSTELLATION  
COMPANY S.A.