








Closed cell non crosslinked PE Foam extruded profiles for industrial packaging applications.

OK-pack® U




Reference	A (mm)	B (mm)	C (mm)	L (cm)	d (Kg/m3)	m/box	Type
U10-30	10±1	30±2	10±1	rollo	28±5	550	1
U15	15±2	28±2	10±1	200±4	28±5	560	2
U20	20±1,5	30±2	8±1	200±4	28±5	520	3
U20/70	20±2	70±2	21±1	200±4	28±5	380	3
U20/80	20±2	80±3	30±2	200±4	28±5	100	4
U25	24±3	37±2	10±1	200±4	28±5	380	3
U30	30±2	44±3	11±1	200±4	28±5	250	3
U30/90	29±2	95±6	14±1	200±4	28±5	100	5
U35	35±3	40±3	10±1	200±4	28±5	240	3
U35NG	35±3	48±3	12±2	200±4	28±5	220	3
U40	40±3	40±3	10±1	200±4	28±5	210	3
U45	45±2,5	45±3	12±1	200±4	28±5	180	3
U45/75	45±2	75±3	15±1	200±4	28±5	100	6
U45AD	42±2,5	43±3	14±2	200±4	50±5	170	2
U60	60±3	60±3	13±1	200±4	28±5	120	3
U60AD	58±3	55±3	16±1	200±4	60±5	120	2
U70	70±3	63±3	15±1	200±4	28±5	90	3
U72-120	79±5	120±5	17±2	200±4	28±5	56	6
U80	80±2	72±3	18±2	200±4	28±5	80	3
UM	20±2	48±2	60±2	200±4	40±5	140	7



2045 x 410 x 618 mm



Contains min. 30% recycled material



Reference	A (mm)	B (mm)	C (mm)	L (cm)	d (Kg/m3)	m/box	Tiye
U90	90±3	80±5	18±2	200±4	28±5	72	8
U100	100±3	70±5	18±2	200±4	28±5	56	8
U120	120±4	80±5	20±2	200±4	28±5	44	8



2045 x 410 x 618 mm




Contains min. 30% recycled material

Profile corners *

Referencia	L (mm)	Piezas/bolsa
U15	100	900
U25	100	600
u30	100	500
U35	100	450
U45	100	300
U60	100	500
U70	100	400
U80	100	350
U90	100	280
U100	100	200
U120	100	200
U72 / 120	100	300

Cut-corners







Referencia	C(mm)	A (mm)	Piezas/caja
90/10	90	10	3350
90/15	90	15	2200
90/20	90	20	1700
90/25	90	25	1300
100/10	100	10	2964



* Also available in Eco Black version

Closed cell non crosslinked PE foam extruded profiles for industrial packaging applications.

- Contains minimum 55% recycled material.
- 100% reusable and recyclable.







Reference	A (mm)	B (mm)	C (mm)	L (cm)	d (Kg/m3)	m/box	Type
U20 EB	20±1,5	30±2	8±1	200±4	28±5	520	2
U25 EB	24±3	37±2	10±1	200±4	28±5	380	2
U30 EB	30±2	44±3	11±1	200±4	28±5	250	2
U30/60 EB*	29±2	60±5	17±1	200±4	28±5	120	2
U30/90 EB	29±2	95±6	14±1	200±4	28±5	100	4
U35 EB	35±3	40±3	10±1	200±4	28±5	240	2
U45EB	45±2.5	45±3	12±1	200±4	28±5	180	2
U45/75*	45±2	75±3	15±1	200±4	28±5	100	5
U60 EB	60±3	60±3	13±1	200±4	28±5	120	2
U70 EB	70±3	63±3	15±1	200±4	28±5	90	2
U72/120 EB	79±5	120±5	17±2	200±4	28±5	60	5
U80 EB	80±2	72±3	18±2	200±4	28±5	80	2
U90 EB	90±3	80±5	18±2	200±4	28±5	72	6
U100 EB	100±3	70±5	18±2	200±4	28±5	56	6
U120 EB	120±4	80±5	20±2	200±4	28±5	44	6
L50 EB	50±4	7±1		200±4	28±5	460	
L50plus EB	50±4	10±1		200±4	28±5	350	
L75 EB	75±7	11±1		200±4	28±5	210	
CM*EB	40±2	30±2	13±1	rollo	28±5	500	7




2045 x 410 x 618 mm

OK-pack® CM

4/9



Reference	A (mm)	B (mm)	C (mm)	L (cm)	d (Kg/m3)	m/roll	Type
CM**	40±2	30±2	13±1	rollo	28±5	500	1
OV-U (gris)	30±2	20±2	10±1	rollo	30±5	700	1
CMR	32±2	26±2	12±1	rollo	28±5	650	2
CMR HD-XT	32±2	26±2	12±1	rollo	45±5	460	3

 1200 x 410 x 500 mm
4 rolls/pallet

** Available in 2m lengths (540m/box).



2045 x 410 x 618 mm

OK-pack® L

Reference	A (mm)	B (mm)	L (cm)	d (Kg/m3)	m/box
L50	50±4	7±1	200±4	28±5	460
L50plus	50±4	10±1	200±4	28±5	350
L75	75±7	11±1	200±4	28±5	210
L75plus	75±4	15±1	200±4	28±5	160
L85	85±5	18±1	200±4	28±5	120
L50 adh.	50±4	7±1	200±4	28±5	460
L75 adh.	75±7	11±1	200±4	28±5	210




2045 x 410 x 618 mm



Contains min. 30% recycled material


OK-pack F

Reference	A (mm)	B (mm)	L (cm)	d (Kg/m3)	m/box
F	80±2	12±1	200±4	28±5	80





OK-pack S

Reference	A (mm)	B (mm)	Angle°	L (cm)	d (Kg/m3)	m/box
S25	54±2	25±2	90°	200±4	30±5	200
S30	62±2	30±2	90°	200±4	30±5	140
S40	80±2	40±2	90°	200±4	30±5	90
S50	95±3	50±3	90°	200±4	30±5	64



OK-pack Pad

Reference	A (mm)	B (mm)	L (cm)	d (Kg/m3)	m/box	Type
25x65	25±1	65±2	200±4	28±5	260	1
30x25	30±1	25±1	Rollo	28±5	550	1
24x25	24±1	25±1	Rollo	28±5	550	1
100X50	48±2	100±3	200±4	28±5	92	1
Roundpad	41±1	63±1	200±4	28±5	180	2
38X38*	38±1	38±1	120±3	45±3	168	1
50X10*	10±1	50±2	200±4	28±5	670	1
50x20*	20±1	50±2	170±3	28±5	357	1
38x91*	38±1	91±2	120±3	45±3	72	1



2045 x 410 x 618 mm



Contains min. 30% recycled material



Non standard profiles

(under request)






Reference	A (mm)	B (mm)	C (mm)	L (cm)	d (Kg/m3)	m/box
R	53±2	37±2	11±1	165±4	28±5	165



Reference	A (mm)	B (mm)	L (cm)	d (Kg/m3)	m/roll
T 20/20	20±2	20±2	Rollo	28±5	200
T 30/20	30±2	20±2	Rollo	28±5	100

Reference	A (mm)	B (mm)	C (mm)	L (cm)	d (Kg/m3)	m/box
EDGE 110	107±1	30±1	9±1	202±4	28±5	160




Reference	Code	A (mm)	B(mm)	L (cm)	m/box
<u>6mm</u>					
101	6/10	12±1	6±1	200±4	650
102	6/13	15±1	6±1	200±4	560
103	6/15	17±1	6±1	200±4	480
104	6/18	20±1	6±1	200±4	460
105	6/22	24±1	6±1	200±4	350
106	6/28	30±1	6±1	200±4	280
106A	6/35	37±1	6±1	200±4	180
107	6/42	44±1	6±1	200±4	140
<u>10mm*</u>					
151	10/13	15±1	10±1	200±4	400
152	10/15	17±1	10±1	200±4	400
153	10/18	20±1	10±1	200±4	300
154	10/22	24±1	10±1	200±4	270
155	10/28	30±1	10±1	200±4	196
156	10/35	37±1	10±1	200±4	160
157	10/42	44±1	10±1	200±4	110
157A	10/48	50±1	10±1	200±4	100
158	10/54	56±1	10±1	200±4	80
159	10/60	62±1	10±1	200±4	70
160	10/76	78±1	10±1	200±4	50
161	10/89	91±1	10±1	200±4	40
162	10/114	116±1	10±1	200±4	28

* pre-cutted.



2045 x 410 x 618 mm




Contains min. 30% recycled material

Reference	Code	A (mm)	B(mm)	L (cm)	m/box
<u>13mm*</u>					
201	13/13	15±1	13±1	200±4	300
202	13/15	17±1	13±1	200±4	270
203	13/18	20±1	13±1	200±4	220
204	13/22	24±1	13±1	200±4	182
205	13/28	30±1	13±1	200±4	156
206	13/35	37±1	13±1	200±4	130
207	13/42	44±1	13±1	200±4	100
207 A	13/48	51±1	13±1	200±4	80
208	13/54	57±1	13±1	200±4	70
209	13/60	63±1	13±1	200±4	60
210	13/76	79±1	13±1	200±4	48
211	13/89	92±1	13±1	200±4	36
212	13/114	117±1	13±1	200±4	24
<u>20mm*</u>					
402	20/15	17±1	20±1.5	200±4	156
403	20/18	20±1	20±1.5	200±4	130
404	20/22	24±1	20±1.5	200±4	110
405	20/28	30±1	20±1.5	200±4	100
406	20/35	37±1	20±1.5	200±4	80
407	20/42	44±1	20±1.5	200±4	64
407A	20/48	51±1	20±1.5	200±4	56
408	20/54	57±1	20±1.5	200±4	52
409	20/60	63±1	20±1.5	200±4	44
410	20/76	79±1	20±1.5	200±4	36
411	20/89	92±1	20±1.5	200±4	26

* pre-cutted.




2045 x 410 x 618 mm



Contains min. 30% recycled material

OK-pack®

Roundex®



Reference	Length	m/box	Diameter A (mm)	Density (kg/m3)	Color
Roundex 6	Roll	2500	6±1	23±5	Grey
Roundex 8	Roll	1500	8±1	23±5	Grey
Roundex 10	Roll	1150	10±1	23±5	Grey
Roundex 13	Roll	750	13±1	23±5	Grey
Roundex 15	Roll	550	15±1	23±5	Grey
Roundex 20	Roll	350	20±1	23±5	Grey
Roundex 25	Roll	200	25±1	23±5	Grey
Roundex 30	Roll	160	30±1,5	23±5	Grey
Roundex 40	2m±4cm	270	40±2	30±5	Grey
Roundex 50	2m±4cm	180	50±2	30±5	Grey
Roundex 75	2m±4cm	80	75±3	35±5	White
Roundex 90	2m±4cm	56	90±4	35±5	White
Roundex 100	2m±4cm	50	100±4	35±5	White
Roundex 125	2m±4cm	30	125±4	35±5	White
Roundex 150	2m±4cm	20	150±4	35±5	White



2045 x 410 x 618 mm (L= 2 meters)



600x 580 x 580 mm (Rolls)



Contains min. 30% recycled material